



Our reverse vending solutions allow used drinks containers to be sorted and recycled, helping to limit waste and protect the environment for future generations

RVM X Duo Proline

The RVM X with ProLine DUO has been designed for stores with high volumes of recyclable containers. Its compact size keeps floor space to a minimum. It is modular and can be adapted to fit any store with the option of being expanded if needed. Easy to use, efficient and consumer friendly

FEATURES:

- Up to 60 containers per minute
- Modular system with up to 8 cabinets
- Separate or combined (MIX) storage for compacted PET bottles and cans
- Separate cabinets for one way glass or S-Drop for glass bottles
- Cabinets with space saving vertical lifting doors
- Electrical assisted opening doors or Folding Doors
- Easy cleaning and maintenance
- Touchscreen with backlight

PROVEN TECHNOLOGY:


- Barcode Detection
- 360 degree sensing field
- Shape and weight recognition
- Metal detection
- Compacts PET bottles and cans
- Crushes glass bottles
- Non-stop function (option)

FUTUREPROOF:

- Deposit Return Scheme ready
- Paperless rewards via mobile devices
- Touch free recycling

SCANDINAVIAN DESIGN:

- Clean, attractive appearance
- Easy to customise branding
- Loyalty card/app to attract customers



RVM X

TECHNICAL SPECIFICATIONS

Infeed	Horizontal feed, up to 60 items per minute
Packaging Type	Up to 3L PET , 2L cans and 2L glass (one-way or refillable glass)
Recognition of packaging	360° barcode reading and video shape detection
Barcode	EAN-13, EAN-8, UPC-E, UPC-A
Weight	Weight recognition to verify the containers
Communications	LAN interface (Ethernet TCP/IP)
Power Supply	24 V supplied from the Proline
Environment	For indoor use. Temperature: 5-40°C. Relative Humidity: Max 90% - non-condensing
Size per front	Width:683. Depth:620. Height:1900. Weight 125 Kg
Display	10.4" touchscreen with backlight
Printer	Graphic thermo printer for text, logos and barcodes. Around 1700 receipts per roll
Marketing	The touchscreen and printer can be used for marketing and information. It can show offers, link to own websites and print out receipts and coupons. A donation function to several organisations is also an option
Monitoring and back-office	Data is stored in the machine. Event log with detailed information. Status of the reverse vending machine can be displayed on screen or viewed on RVM Online via our unique proactive monitoring and analysis web-based solution. Remote diagnostic, backup and update functions
Safety and Approvals	The product conforms with the following standards: EN 60335-1, EN 62233, EN 61000-6-1, EN 61000-6-2, EN 61000-6-3, EN 61000-6-4. It also conforms with the technical requirements of the following European Directives and with national legislation for the following: Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU, R&TTE Directive 99/5/EC, Machinery Directive 2006/42/EC and NS-EN ISO 12100:2010



multiDonation



Voucher Security



Cloud Connection



reMotion tool



rePorts



myRVM

OPTIONS

- Loyalty card reader
- Camera reader for barcode and 2D
- reVend, API connectivity
- 5G wifi router
- ReMotion, to customise touchscreen branding
- Different options for collection bins

Copyright © 2021 RVM Systems AB



RVM
SYSTEMS

RVM Systems AB
Torshamnsgatan 35
164 40 Kista, SWEDEN
www.rvmsystems.com

Proline DUO

TECHNICAL SPECIFICATIONS

Power Supply	230V 16A 3-phase or, 400V 10A 3-phase
Power Consumption per cabinet	Standby mode: 10 W per cabinet: OWG , operating: 40W CAN,PET,MIX and Crusher: 750 W (Average consumption =0,83 KWH per 1.000 compacted units, depending on the packaging)
Size per DUO cabinet	Width: 935mm, Depth 1410mm, Height 1830mm, Weight 335 Kg
STORAGE CAPACITY	Euro pallet in cabinet (ref type and number of cabinets in the configuration) <i>*Shakedown might be required to reach the storage capacity</i>
PET	Maximum bin size D1220 X W820 X H950 Up to 1.100 bottles / 870 bottles normal mix
CANS	Maximum bin size D1220 X W820 X H950 Up to 4.000 pcs / 3.500 normal mix
MIX	Maximum bin size D1220 X W820 X H950 Normal mix with various sizes compacted bottles (25% 0,5L PET+ 25% 1,5L PET + 50% cans) 1350 pcs per Euro Pallet
One Way Glass	Maximum bin size D1220 X W820 X H650 More than 700 0,33 l bottles with Glass crusher
Optional S Drop	Size 400L D800 X W600 Up to 400 0,33 l bottles
Optional S Drop Large	Size 600L D800 X W900 Up to 600 0,33L bottles
Safety and Approvals	The product conforms with the following standards: EN 60335-1, EN 62233, EN 61000-6-1, EN 61000-6-2, EN 61000-6-3, EN 61000-6-4. It also conforms with the technical requirements of the following European Directives and with national legislation for the following: Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU, R&TTE Directive 99/5/EC, Machinery Directive 2006/42/EC and NS-EN ISO 12100:2010

Copyright © 2021 RVM Systems AB



RVM
SYSTEMS

RVM Systems AB
Torshamnsgatan 35
164 40 Kista, SWEDEN
www.rvmsystems.com



RVM SYSTEMS



2 RVM X with 1 cabinet Proline DUO Right door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Right door			
RVM X + number of Proline cabinets	Part number	1 cabinet	1 cabinet
Storage capacity Proline cabinet			
PET BIN size		Euro pallet	Euro pallet
Nonstop PET		NO	NO
PET Capacity		Up to 1.300 pcs 0,5L bottles	Up to 1.300 pcs 0,5L bottles
CAN BIN size			
Nonstop CAN			
CAN Capacity			
[OWG] One Way Glass BIN size			
Nonstop one way glass			
One Way Glass Capacity			
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume			2X 400L
Refillable Glass Capacity			Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm		2 050	2 400
Configuration measurement Width mm		1 420	1 420
RVM Allocated area m ²		2,91	3,41
Additional area for emptying beside the compactor		2,05	2,40
Additional area for customer m ²		2,00	2,00
RVM X	10 018 938	2X	2X
Door Folio RVM X - Grey	10 012 915	2X	2X
1 cabinet kit	10 013 800	X	X
2 cabinet kit	10 013 543		
3 cabinet kit	10 013 544		
4 cabinet kit	10 013 545		
5 cabinet kit	10 013 546		
6 cabinet kit	10 013 547		
7 cabinet kit	10 013 548		
8 cabinet kit	10 013 548		
DL Proline cabinet with:			
One way glass / no compactor	10 013 531		
PET compactor for 1/1 Euro pallet	10 013 759	X	X
CAN belt compactor for 1/1 Euro pallet	10 013 525		
CAN compactor for 1/1 Euro pallet	10 014 935		
Compactor for comingled PET and can in 1/1 Euro pallet	10 013 528		
Default BIN			
Interface Sdrop	10 013 553		X
SDrop Left	10 013 034		X
SDrop Right	10 012 896		X
SDrop Left Large	10 018 649		Option
SDrop Right Large	10 018 940		Option
Kit for last cabinet * Not needed with Sdrop	10 013 551	X	
Option for RVM X			
Machine lock and keys	700139	Option	Option
Locality card reader	10 019 143	Option	Option
PET material sensor	10 019 163	Option	Option
4G/Wi-Fi router	10 020 357	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet * Replace first cabinet kit 10013800	10 014 233	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet * Replace first cabinet kit 10013800	10 014 424	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet * Replace first cabinet kit 10013800	10 014 607	Option	Option
Option Proline, BIN Reset bottom	10 018 656	Option	Option
Proline accessories			
Default 140L bin for Last kabinet kit. 2 pcs at Doubleline	1 061 179	Option	Option
EP BIN	10 018 031	Option	Option
EP frame RVM Systems			
EP frame RVM Systems	10 010 541	Option	Option
Roller platform Steel RVM Systems	10 014 793	Option	Option
Bag dispenser Wall mount Infinitum bag			
Infinitum bag EP Roll 15 pcs	700822,0	Option	Option
BIN With Wheels 140L			
Bin With Wheels 140L	1 061 179	Option	Option
Environmental hatch	1 077 067	Option	Option





2 RVM X with 2 cabinet Proline DUO Right door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Right door	PET OWG S-Drop	PET CAN	PET CAN S Drop
RVM X + number of Proline cabinets	2 cabinet	2 cabinet	2 cabinet
Storage capacity Proline cabinet			
PET BIN size	Euro pallet	Euro pallet	Euro pallet
Nonstop PET	NO	NO	NO
PET Capacity	Up to 1.900 pcs 0,5L bottles	Up to 1.900 pcs 0,5L bottles	Up to 1.900 pcs 0,5L bottles
CAN BIN size		Euro pallet	Euro pallet
Nonstop CAN		NO	NO
CAN Capacity		Up to 4.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans
[OWG] One Way Glass BIN size	Euro pallet		
Nonstop one way glass	NO		
One Way Glass Capacity	Up to 600pcs 0,33L Bottles		
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume	2X 400L		2X 400L
Refillable Glass Capacity	Up to 800 pcs 0,33L Bottles		Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	3 350	3 000	3 350
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m2	4,76	4,26	4,76
Additional area for emptying beside the compactor	3,35	3,00	3,35
Additional area for customer m2	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	2X	2X	2X
2 cabinet kit	X	X	X
3 cabinet kit			
4 cabinet kit			
5 cabinet kit			
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor	X		
PET compactor for 1/1 Euro pallet	X	X	X
CAN belt compactor for 1/1 Euro pallet		X	X
CAN compactor for 1/1 Euro pallet			
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop	X		X
SDrop Left	X		X
SDrop Right	X		X
SDrop Left Large	Option		Option
SDrop Right Large	Option		Option
Kit for last cabinet		X	
* Not needed with Sdrop			
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140L bin for Last cabinet kit			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems			
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infinitum bag			
Infinitum bag EP Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option





RVM SYSTEMS



2 RVM X with 3 cabinet Proline DUO Right door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Right door			
RVM X + number of Proline cabinets	2X PET CAN 3 cabinet	2X PET CAN S Drop 3 cabinet	PET CAN OWG S Drop 3 cabinet
Storage capacity Proline cabinet			
PET BIN size	2 Euro pallet	2 Euro pallet	Euro pallet
Nonstop PET	YES	YES	NO
PET Capacity	Up to 2.600 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles	Up to 1.900 pcs 0,5L bottles
CAN BIN size	Euro pallet	Euro pallet	Euro pallet
Nonstop CAN	NO	NO	NO
CAN Capacity	Up to 4.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans
[OWG] One Way Glass BIN size			Euro pallet
Nonstop one way glass			NO
One Way Glass Capacity			Up to 600pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L bottles	Up to 800 pcs 0,33L bottles
Measurements			
Configuration measurement Length mm	3 950	4 300	4 300
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m2	5,61	6,11	6,11
Additional area for emptying beside the compactor	3,95	4,30	4,30
Additional area for customer m2	2,00	2,00	2,00
RVM X	2X	2X	2X
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit			
5 cabinet kit			
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			X
PET compactor for 1/1 Euro pallet	2X	2X	X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	X	X	X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
Sdrop Left		X	X
Sdrop Right		X	X
Sdrop Left Large		Option	Option
Sdrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for Last cabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems	Option	Option	Option
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infitum bag	Option	Option	Option
Infitum bag EP_Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L	Option	Option	Option
Environmental hatch	Option	Option	Option





2 RVM X with 4 cabinet Proline DUO Right door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Right door			
	2X PET 2X CAN	2X PET 2X CAN S Drop	2X PET CAN OWG S Drop
RVM X + number of Proline cabinets	4 cabinet	4 cabinet	4 cabinet
Storage capacity Proline cabinet			
PET BIN size	2 Euro pallet	2 Euro pallet	2 Euro pallet
Nonstop PET	YES	YES	YES
PET Capacity	Up to 2.600 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles
CAN BIN size	2 Euro pallet	2 Euro pallet	Euro pallet
Nonstop CAN	YES	YES	NO
CAN Capacity	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans
(OWG) One Way Glass BIN size			Euro pallet
Nonstop one way glass			NO
One Way Glass Capacity			Up to 600pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	4 900	5 250	5 250
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m ²	6,96	7,46	7,46
Additional area for emptying beside the compactor	4,90	5,25	5,25
Additional area for customer m ²	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit	X	X	X
5 cabinet kit			
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			X
PET compactor for 1/1 Euro pallet	2X	2X	2X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	2X	2X	X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
SDrop Left		X	X
SDrop Right		X	X
SDrop Left Large		Option	Option
SDrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline_BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for Last cabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems	Option	Option	Option
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infinitum bag	Option	Option	Option
Infinitum bag EP Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L	Option	Option	Option
Environmental hatch	Option	Option	Option








2 RVM X with 5 cabinet Proline DL Right door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Right door			
	3X PET 2X CAN	3X PET 2X CAN 5 Drop	2X PET 2X CAN OWG 5 Drop
RVM X + number of Proline cabinets	5 cabinet	5 cabinet	5 cabinet
Storage capacity Proline cabinet			
PET BIN size	3 Euro pallet	3 Euro pallet	2 Euro pallet
Nonstop PET	YES	YES	YES
PET Capacity	Up to 3.900 pcs 0,5L bottles	Up to 3.900 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles
CAN BIN size	2 Euro pallet	2 Euro pallet	2 Euro pallet
Nonstop CAN	YES	YES	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size			Euro pallet
Nonstop one way glass			NO
One Way Glass Capacity			Up to 600pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in 5 drop			
5 Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	5 850	6 200	6 200
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m ²	8,34	8,80	8,80
Additional area for emptying beside the compactor	5,85	6,20	6,20
Additional area for customer m ²	2,00	2,00	2,00
RVM X	2X	2X	2X
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit	X	X	X
5 cabinet kit	X	X	X
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			X
PET compactor for 1/1 Euro pallet	3X	3X	2X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	2X	2X	2X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
SDrop Left		X	X
SDrop Right		X	X
SDrop Left Large		Option	Option
SDrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for Last cabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems	Option	Option	Option
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infinitum bag			
Infinitum bag EP_Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option





2 RVM X with 6 cabinet Proline DUO Right door



Measurements for the minimum needed room
*Free height to ceiling 2700 mm


RVM SYSTEMS			
2 RVM X Proline Duo Right door			
RVM X + number of Proline cabinets	6 cabinet	6 cabinet	6 cabinet
Storage capacity Proline cabinet			
PET BIN size	4 Euro pallet	4 Euro pallet	2 Euro pallet
Nonstop PET	YES	YES	YES
PET Capacity	Up to 5.200 pcs 0,5L bottles	Up to 5.200 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles
CAN BIN size	2 Euro pallet	2 Euro pallet	2 Euro pallet
Nonstop CAN	YES	YES	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size			2 Euro pallet
Nonstop one way glass			YES
One Way Glass Capacity			Up to 1.200pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in 5 drop			
5 Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	6 800	7 150	7 150
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m2	9,66	10,15	10,15
Additional area for emptying beside the compactor	6,80	7,15	7,15
Additional area for customer m2	2,00	2,00	2,00
RVM X	2X	2X	2X
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit	X	X	X
5 cabinet kit	X	X	X
6 cabinet kit	X	X	X
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			2X
PET compactor for 1/1 Euro pallet	4X	4X	2X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	2X	2X	2X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
SDrop Left		X	X
SDrop Right		X	X
SDrop Left Large		Option	Option
SDrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for Last cabinet kit			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems	Option	Option	Option
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infitum bag			
Infitum bag EP, Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option




2 RVM X with 7 cabinet Proline DUO Right door



Measurements for the minimum needed room
*Free height to ceiling 2700 mm

RVM SYSTEMS	
	
2 RVM X Proline Dual Right door	3X PET 2X CAN 2X OWG 5 Drop
RVM X + number of Proline cabinets	7 cabinet
Storage capacity Proline cabinet	
PET BIN size	3 Euro pallet
Nonstop PET	YES
PET Capacity	Up to 3.900 pcs 0,5L bottles
CAN BIN size	2 Euro pallet
Nonstop CAN	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size	2 Euro pallet
Nonstop one way glass	YES
One Way Glass Capacity	Up to 1.200pcs 0,33L Bottles
MIX BIN size	
Nonstop MIX	
MIX Capacity	
Storage capacity in 5 drop	
5 Drop volume	2X 400L
Refillable Glass Capacity	Up to 800 pcs 0,33L Bottles
Measurements	
Configuration measurement Length mm	8 100
Configuration measurement Width mm	1 420
RVM Allocated area m2	11,50
Additional area for emptying beside the compactor	8,10
Additional area for customer m2	2,00
RVM X	
Door Folio RVM X - Grey	2X
1 cabinet kit	X
2 cabinet kit	X
3 cabinet kit	X
4 cabinet kit	X
5 cabinet kit	X
6 cabinet kit	X
7 cabinet kit	X
8 cabinet kit	
DL Proline cabinet with:	
One way glass / no compactor	2X
PET compactor for 1/1 Euro pallet	3X
CAN belt compactor for 1/1 Euro pallet	
CAN compactor for 1/1 Euro pallet	2X
Compactor for comingled PET and can in 1/1 Euro pallet	
Default BIN	
Interface Sdrop	X
SDrop Left	X
SDrop Right	X
SDrop Left Large	Option
SDrop Right Large	Option
Kit for last cabinet	
* Not needed with Sdrop	
Option for RVM X	
Machine lock and keys	Option
Locality card reader	Option
PET material sensor	Option
4G/Wi-Fi router	Option
Options Proline	
Option 30 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 55 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 95 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option Proline, BIN Reset bottom	Option
Proline accessories	
Default 140Lbin for Last kabinet kit.	
2 pcs at Doubleline	Option
EP BIN	Option
EP frame RVM Systems	
Roller platform Steel RVM Systems	Option
Bag dispenser Wall mount Infinitum bag	
Infinitum bag EP Roll 15 pcs	Option
BIN With Wheels 140L	
Environmental hatch	Option




2 RVM X with 8 cabinet Proline DUO Right door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS	
2 RVM X Proline Dual Right door	3X PET 2X CAN 3X OWG 5 Drop
RVM X + number of Proline cabinets	8 cabinet
Storage capacity Proline cabinet	
PET BIN size	3 Euro pallet
Nonstop PET	YES
PET Capacity	Up to 3.900 pcs 0,5L bottles
CAN BIN size	2 Euro pallet
Nonstop CAN	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans
[OWG] One Way Glass BIN size	3 Euro pallet
Nonstop one way glass	YES
One Way Glass Capacity	Up to 1.800pcs 0,33L Bottles
MIX BIN size	
Nonstop MIX	
MIX Capacity	
Storage capacity in 5 drop	
5 Drop volume	2X 400L
Refillable Glass Capacity	Up to 800 pcs 0,33L Bottles
Measurements	
Configuration measurement Length mm	9 050
Configuration measurement Width mm	1 420
RVM Allocated area m2	12,85
Additional area for emptying beside the compactor	9,05
Additional area for customer m2	2,00
RVM X	2X
Door Folio RVM X - Grey	2X
1 cabinet kit	X
2 cabinet kit	X
3 cabinet kit	X
4 cabinet kit	X
5 cabinet kit	X
6 cabinet kit	X
7 cabinet kit	X
8 cabinet kit	X
DL Proline cabinet with:	
One way glass / no compactor	3X
PET compactor for 1/1 Euro pallet	3X
CAN belt compactor for 1/1 Euro pallet	
CAN compactor for 1/1 Euro pallet	2X
Compactor for comingled PET and can in 1/1 Euro pallet	
Default BIN	
Interface Sdrop	X
SDrop Left	X
SDrop Right	X
SDrop Left Large	Option
SDrop Right Large	Option
Kit for last cabinet	
* Not needed with Sdrop	
Option for RVM X	
Machine lock and keys	Option
Locality card reader	Option
PET material sensor	Option
4G/Wi-Fi router	Option
Options Proline	
Option 30 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 55 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 95 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option Proline, BIN Reset bottom	Option
Proline asessories	
Default 140Lbin for last cabinet kit	
2 pcs at Doubleline	Option
EP BIN	Option
EP frame RVM Systems	Option
Roller platform Steel RVM Systems	Option
Bag dispenser Wall mount Inifinitum bag	Option
Inifinitum bag EP_Roll 15 pcs	Option
BIN With Wheels 140L	Option
Environmental hatch	Option





RVM
SYSTEMS



2 RVM X with 1 cabinet Proline DUO Left door



Measurements for the minimum
needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Left door			
RVM X + number of Proline cabinets	Part number	1 cabinet	1 cabinet
Storage capacity Proline cabinet			
PET BIN size		Euro pallet	Euro pallet
Nonstop PET		NO	NO
PET Capacity		Up to 1.300 pcs 0,5L bottles	Up to 1.300 pcs 0,5L bottles
CAN BIN size			
Nonstop CAN			
CAN Capacity			
(OWG) One Way Glass BIN size			
Nonstop one way glass			
One Way Glass Capacity			
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume			2X 400L
Refillable Glass Capacity			Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm		2 050	2 400
Configuration measurement Width mm		1 420	1 420
RVM Allocated area m ²		2,91	3,41
Additional area for emptying beside the compactor		2,05	2,40
Additional area for customer m ²		2,00	2,00
RVM X	10 018 338	2X	2X
Door Folio RVM X - Grey	10 012 915	2X	2X
1 cabinet kit	10 013 800	X	X
2 cabinet kit	10 013 543		
3 cabinet kit	10 013 544		
4 cabinet kit	10 013 545		
5 cabinet kit	10 013 546		
6 cabinet kit	10 013 547		
7 cabinet kit	10 013 548		
8 cabinet kit	10 013 548		
DL Proline cabinet with:			
One way glass / no compactor	10 013 540		
PET compactor for 1/1 Euro pallet	10 013 762	X	X
CAN belt compactor for 1/1 Euro pallet	10 013 534		
CAN compactor for 1/1 Euro pallet	10 014 936		
Compactor for comingled PET and can in 1/1 Euro pallet	10 013 537		
Default BIN			
Interface Sdrop	10 013 553		X
SDrop Left	10 013 034		X
SDrop Right	10 012 856		X
SDrop Left Large	10 018 649		
SDrop Right Large	10 018 940		
Kit for last cabinet			
* Not needed with Sdrop	10 013 551	X	
Option for RVM X			
Machine lock and keys	700139	Option	Option
Locality card reader	10 019 143	Option	Option
PET material sensor	10 019 163	Option	Option
4G/Wi-Fi router	10 020 357	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	10 014 233	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	10 014 424	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	10 014 607	Option	Option
Option Proline, BIN Reset bottom	10 018 656	Option	Option
Proline asessories			
Default 140Lbin for Last kabinet kit.			
2 pcs at Doubleline	1 061 179	Option	Option
EP BIN	10 018 031	Option	Option
EP frame RVM Systems			
Roller platform Steel RVM Systems	10 010 541	Option	Option
	10 014 793	Option	Option
Bag dispenser Wall mount Inifinitum bag			
Inifinitum bag EP. Roll 15 pcs	10 018 509	Option	Option
	700822,0	Option	Option
BIN With Wheels 140L			
Environmental hatch	1 061 179	Option	Option
	1 077 067	Option	Option





RVM
SYSTEMS



2 RVM X with 2 cabinet Proline DUO Left door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Left door			
RVM X + number of Proline cabinets	2 cabinet	2 cabinet	2 cabinet
Storage capacity Proline cabinet			
PET BIN size	Euro pallet	Euro pallet	Euro pallet
Nonstop PET	NO	NO	NO
PET Capacity	Up to 1.300 pcs 0,5L bottles	Up to 1.300 pcs 0,5L bottles	Up to 1.300 pcs 0,5L bottles
CAN BIN size	Euro pallet	Euro pallet	Euro pallet
Nonstop CAN	NO	NO	NO
CAN Capacity	3500	Up to 4.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans
(OWG) One Way Glass BIN size	Euro pallet		
Nonstop one way glass	NO		
One Way Glass Capacity	Up to 600pcs 0,33L Bottles		
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume	2X 400L		2X 400L
Refillable Glass Capacity	Up to 800 pcs 0,33L Bottles		Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	3 350	3 000	3 350
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m ²	4,76	4,26	4,76
Additional area for emptying beside the compactor	3,35	3,00	3,35
Additional area for customer m ²	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit			
4 cabinet kit			
5 cabinet kit			
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor	X		
PET compactor for 1/1 Euro pallet	X	X	X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	X	X	X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop	X		X
Sdrop Left	X		X
Sdrop Right	X		X
Sdrop Left Large			
Sdrop Right Large			
Kit for last cabinet		X	
* Not needed with Sdrop			
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for last cabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems	Option	Option	Option
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount infinitum bag	Option	Option	Option
Infinitum bag EP Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L	Option	Option	Option
Environmental hatch	Option	Option	Option








2 RVM X with 3 cabinet Proline DUO Left door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Left door			
	2X PET CAN	2X PET CAN S Drop	PET CAN OWG S Drop
RVM X + number of Proline cabinets	3 cabinet	3 cabinet	3 cabinet
Storage capacity Proline cabinet			
PET BIN size	2 Euro pallet	2 Euro pallet	Euro pallet
Nonstop PET	YES	YES	NO
PET Capacity	Up to 2.600 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles	Up to 1.300 pcs 0,5L bottles
CAN BIN size	Euro pallet	Euro pallet	Euro pallet
Nonstop CAN	NO	NO	NO
CAN Capacity	Up to 4.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans
(OWG) One Way Glass BIN size			Euro pallet
Nonstop one way glass			NO
One Way Glass Capacity			Up to 600pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	3 950	4 300	4 300
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m2	5,61	6,11	6,11
Additional area for emptying beside the compactor	3,95	4,30	4,30
Additional area for customer m2	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit			
5 cabinet kit			
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			X
PET compactor for 1/1 Euro pallet	2X	2X	X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	X	X	2X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
interface Sdrop		X	X
SDrop Left		X	X
SDrop Right		X	X
SDrop Left Large		Option	Option
SDrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for Last cabinet kit			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems			
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infinitum bag			
Infinitum bag EP_Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option







Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Left door			
	2X PET 2X CAN	2X PET 2X CAN S Drop	2X PET CAN OWG S Drop
RVM X + number of Proline cabinets	4 cabinet	4 cabinet	4 cabinet
Storage capacity Proline cabinet			
PET BIN size	2 Euro pallet	2 Euro pallet	2 Euro pallet
Nonstop PET	YES	YES	YES
PET Capacity	Up to 2.600 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles
CAN BIN size	2 Euro pallet	2 Euro pallet	Euro pallet
Nonstop CAN	YES	YES	NO
CAN Capacity	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans	Up to 4.000 pcs 0,33L cans
OWG One Way Glass BIN size			Euro pallet
Nonstop one way glass			NO
One Way Glass Capacity			Up to 600pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in S drop			
S Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	4 900	5 250	5 250
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m2	6,96	7,46	7,46
Additional area for emptying beside the	4,90	5,25	5,25
Additional area for customer m2	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit	X	X	X
5 cabinet kit			
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			X
PET compactor for 1/1 Euro pallet	2X	2X	2X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	2X	2X	2X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
Sdrop Left		X	X
Sdrop Right		X	X
Sdrop Left Large		Option	Option
Sdrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline assories			
Default 140Lbin for Last kabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems			
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infinitum bag			
Infinitum bag EP Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option





RVM
SYSTEMS



2 RVM X with 5 cabinet Proline DUO Left door



Measurements for the minimum
needed room

*Free height to ceiling 2700 mm

2 RVM X Proline Dual Left door	3X PET 2X CAN	3X PET 2X CAN 5 Drop	2X PET 2X CAN OWG 5 Drop
RVM X + number of Proline cabinets	5 cabinet	5 cabinet	5 cabinet
Storage capacity Proline cabinet			
PET BIN size	3 Euro pallet	3 Euro pallet	2 Euro pallet
Nonstop PET	YES	YES	YES
PET Capacity	Up to 3.900 pcs 0,5L bottles	Up to 3.900 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles
CAN BIN size	2 Euro pallet	2 Euro pallet	2 Euro pallet
Nonstop CAN	YES	YES	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size			Euro pallet
Nonstop one way glass			NO
One Way Glass Capacity			Up to 600pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in 5 drop			
5 Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	5 850	6 200	6 200
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m ²	8,31	8,80	8,80
Additional area for emptying beside the compactor	5,85	6,20	6,20
Additional area for customer m ²	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit	X	X	X
5 cabinet kit	X	X	X
6 cabinet kit			
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			X
PET compactor for 1/1 Euro pallet	3X	3X	2X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	2X	2X	2X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
SDrop Left		X	X
SDrop Right		X	X
SDrop Left Large		Option	Option
SDrop Right Large		Option	Option
kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline accessories			
Default 140Lbin for Last cabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP Frame RVM Systems	Option	Option	Option
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser Wall mount Infinitum bag	Option	Option	Option
Infinitum bag EP-Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option





RVM
SYSTEMS



2 RVM X with 6 cabinet Proline DUO Left door



Measurements for the minimum needed room

*Free height to ceiling 2700 mm

RVM SYSTEMS			
2 RVM X Proline Dual Left door			
	4X PET 2X CAN	4X PET 2X CAN 5 Drop	2X PET 2X CAN 2X OWG 5 Drop
	RVM X + number of Proline cabinets	6 cabinet	6 cabinet
Storage capacity Proline cabinet			
PET BIN size	4 Euro pallet	4 Euro pallet	2 Euro pallet
Nonstop PET	YES	YES	YES
PET Capacity	Up to 5.200 pcs 0,5L bottles	Up to 5.200 pcs 0,5L bottles	Up to 2.600 pcs 0,5L bottles
CAN BIN size	2 Euro pallet	2 Euro pallet	2 Euro pallet
Nonstop CAN	YES	YES	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size			2 Euro pallet
Nonstop one way glass			YES
One Way Glass Capacity			Up to 1.200pcs 0,33L Bottles
MIX BIN size			
Nonstop MIX			
MIX Capacity			
Storage capacity in 5 drop			
5 Drop volume		2X 400L	2X 400L
Refillable Glass Capacity		Up to 800 pcs 0,33L Bottles	Up to 800 pcs 0,33L Bottles
Measurements			
Configuration measurement Length mm	6 800	7 150	7 150
Configuration measurement Width mm	1 420	1 420	1 420
RVM Allocated area m ²	9,66	10,15	10,15
Additional area for emptying beside the compactor	6,80	7,15	
Additional area for customer m ²	2,00	2,00	2,00
RVM X			
Door Folio RVM X - Grey	2X	2X	2X
1 cabinet kit	X	X	X
2 cabinet kit	X	X	X
3 cabinet kit	X	X	X
4 cabinet kit	X	X	X
5 cabinet kit	X	X	X
6 cabinet kit	X	X	X
7 cabinet kit			
8 cabinet kit			
DL Proline cabinet with:			
One way glass / no compactor			2X
PET compactor for 1/1 Euro pallet	4X	4X	2X
CAN belt compactor for 1/1 Euro pallet			
CAN compactor for 1/1 Euro pallet	2X	2X	2X
Compactor for comingled PET and can in 1/1 Euro pallet			
Default BIN			
Interface Sdrop		X	X
Sdrop Left		X	X
Sdrop Right		X	X
Sdrop Left Large		Option	Option
Sdrop Right Large		Option	Option
Kit for last cabinet			
* Not needed with Sdrop	X		
Option for RVM X			
Machine lock and keys	Option	Option	Option
Locality card reader	Option	Option	Option
PET material sensor	Option	Option	Option
4G/Wi-Fi router	Option	Option	Option
Options Proline			
Option 30 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 55 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option 95 cm Extra conv. Between RVM and first cabinet			
* Replace first cabinet kit 10013800	Option	Option	Option
Option Proline, BIN Reset bottom	Option	Option	Option
Proline asessories			
Default 140Lbin for last cabinet kit.			
2 pcs at Doubleline	Option	Option	Option
EP BIN	Option	Option	Option
EP frame RVM Systems			
Roller platform Steel RVM Systems	Option	Option	Option
Bag dispenser' Wall mount Infinitum bag			
Infinitum bag EP_Roll 15 pcs	Option	Option	Option
BIN With Wheels 140L			
Environmental hatch	Option	Option	Option





2 RVM X with 7 cabinet Proline DUO Left door



Measurements for the minimum needed room


*Free height to ceiling 2700 mm

RVM SYSTEMS	
2 RVM X Proline Dual Left door	
RVM X + number of Proline cabinets	7 cabinet
Storage capacity Proline cabinet	
PET BIN size	3 Euro pallet
Nonstop PET	YES
PET Capacity	Up to 3.900 pcs 0,5L bottles
CAN BIN size	2 Euro pallet
Nonstop CAN	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size	2 Euro pallet
Nonstop one way glass	YES
One Way Glass Capacity	Up to 1.200pcs 0,33L Bottles
MIX BIN size	
Nonstop MIX	
MIX Capacity	
Storage capacity in 5 drop	
5 Drop volume	2X 400L
Refillable Glass Capacity	Up to 800 pcs 0,33L Bottles
Measurements	
Configuration measurement Length mm	8.100
Configuration measurement Width mm	1.420
RVM Allocated area m2	11,50
Additional area for emptying beside the compactor	8,10
Additional area for customer m2	2,00
RVM X	
Door Folio RVM X - Grey	2X
1 cabinet kit	X
2 cabinet kit	X
3 cabinet kit	X
4 cabinet kit	X
5 cabinet kit	X
6 cabinet kit	X
7 cabinet kit	X
8 cabinet kit	
DL Proline cabinet with:	
One way glass / no compactor	2X
PET compactor for 1/1 Euro pallet	3X
CAN belt compactor for 1/1 Euro pallet	
CAN compactor for 1/1 Euro pallet	2X
Compactor for comingled PET and can in 1/1 Euro pallet	
Default BIN	
Interface Sdrop	X
Sdrop Left	X
Sdrop Right	X
Sdrop Left Large	Option
Sdrop Right Large	Option
Kit for last cabinet	
* Not needed with Sdrop	
Option for RVM X	
Machine lock and keys	Option
Locality card reader	Option
PET material sensor	Option
4G/Wi-Fi router	Option
Options Proline	
Option 30 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 55 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 95 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option Proline, BIN Reset bottom	Option
Proline accessories	
Default 140Lbin for Last kabinet kit.	
2 pcs at Doubleline	Option
EP BIN	Option
EP frame RVM Systems	
Roller platform Steel RVM Systems	Option
Bag dispenser Wall mount Infinitum bag	
Infinitum bag EP_Roll 15 pcs	Option
BIN With Wheels 140L	
Environmental hatch	Option



2 RVM X with 8 cabinet Proline DUO Left door



RVM SYSTEMS	
2 RVM X Proline Dual Left door	
RVM X + number of Proline cabinets	3X PET 2X CAN 3X OWG 5 Drop 8 cabinet
Storage capacity Proline cabinet	
PET BIN size	3 Euro pallet
Nonstop PET	YES
PET Capacity	Up to 3.900 pcs 0,5L bottles
CAN BIN size	2 Euro pallet
Nonstop CAN	YES
CAN Capacity	Up to 8.000 pcs 0,33L cans
(OWG) One Way Glass BIN size	3 Euro pallet
Nonstop one way glass	YES
One Way Glass Capacity	Up to 1.800pcs 0,33L Bottles
MIX BIN size	
Nonstop MIX	
MIX Capacity	
Storage capacity in 5 drop	
S Drop volume	2X 400L
Refillable Glass Capacity	Up to 800 pcs 0,33L Bottles
Measurements	
Configuration measurement Length mm	9 050
Configuration measurement Width mm	1 420
RVM Allocated area m2	12,85
Additional area for emptying beside the compactor	9,05
Additional area for customer m2	2,00
RVM X	2X
Door Folio RVM X - Grey	2X
1 cabinet kit	X
2 cabinet kit	X
3 cabinet kit	X
4 cabinet kit	X
5 cabinet kit	X
6 cabinet kit	X
7 cabinet kit	X
8 cabinet kit	X
DL Proline cabinet with:	
One way glass / no compactor	3X
PET compactor for 1/1 Euro pallet	3X
CAN belt compactor for 1/1 Euro pallet	
CAN compactor for 1/1 Euro pallet	
Compactor for comingled PET and can in 1/1 Euro pallet	
Default BIN	
Interface Sdrop	X
SDrop Left	X
SDrop Right	X
SDrop Left Large	Option
SDrop Right Large	Option
Kit for last cabinet	
* Not needed with Sdrop	
Option for RVM X	
Machine lock and keys	Option
Locality card reader	Option
PET material sensor	Option
4G/Wi-Fi router	Option
Options Proline	
Option 30 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 55 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option 95 cm Extra conv. Between RVM and first cabinet	
* Replace first cabinet kit 10013800	Option
Option Proline, BIN Reset bottom	Option
Proline accessories	
Default 140Lbin for Last cabinet kit.	
2 pcs at Doubleline	Option
EP BIN	Option
EP frame RVM Systems	Option
Roller platform Steel RVM Systems	Option
Bag dispenser Wall mount Infinitum bag	Option
Infinitum bag EP.Roll 15 pcs	Option
BIN With Wheels 140L	Option
Environmental hatch	Option

Measurements for the minimum needed room

*Free height to ceiling 2700 mm

